

FIG. 1(a)




FIG. 1(b)




FIG. 1(c)





FIG. 1(d)




BY	O.G. FIG.	
ARTSMAN	CLASS	SUBC.

2/29

FIG. 2


WATER TEMPERATURE : 20°C



209050 252E100T

3/29


FIG. 3



APPROVED	O.G. FIG.	
BY	CLASS	SUBJECT
OR CRAFTSMAN		

4/29


FIG. 4



10043257 050602

5/29

FIG. 5




209050" / 52E+007

APPROVED	O.G. FIG.	
BY	CLASS	SUBCL
RAFTSMAN		

6/29

FIG. 6

HEATING TEMPERATURE : 60°C




209050 452E4007

APPROVED BY	O.G. FIG.	
	CLASS	SUBCL
DRAFTSMAN		

7/29

FIG. 7




209050" / 52E400T

DESIGNED	O.G. FIG.	
BY	CLASS	SUBC.
CRAFTSMAN		


8/29

FIG. 8



9/29

FIG. 9




APPROVED	O.G. FIG.	
BY	CLASS	SUBCL.
DRAFTSMAN		

10/29



FIG. 10




209050" / 52E4001

APPROVED	O.G. P.C.	
BY	CLASS	SUBCL.
DRAFTSMAN		

11/29

FIG. 11



12/29

FIG. 12(a)




FIG. 12(b)




FIG. 12(c)





FIG. 12(d)




10043257.050602

APPROVED	O.G. FIG.	
BY	CLASS	SUBCL.
RAFTSMAN		

13/29

FIG. 13




205050 / 522400T

DESIGNED BY	O.G. FIG.
CRAFTSMAN	CLASS. SUBC.

14/29

FIG. 14



15/29

FIG. 15(a)




FIG. 15(b)




FIG. 15(c)




FIG. 15(d)






FIG. 15(e)



209050 452400T 1004325 050602


16/29

FIG. 16



17/29

FIG. 17



209050-452E4007

FIG. 18(a)




FIG. 18(b)




FIG. 18(c)





FIG. 18(d)



APPROVED	O.G. FIG.	
BY	CLASS	SUBCL.
ARTS MAN		

19/29

FIG. 19




FIG. 20(a)




FIG. 20(b)




FIG. 20(c)




FIG. 20(d)





FIG. 20(e)



APPROVED	O.G. FIC.	
BY	CLASS	SUBCL.
CRAFTSMAN		

21/29

FIG. 21




FIG. 22(a)
PRIOR ART




FIG. 22(b)
PRIOR ART




FIG. 22(c)
PRIOR ART




FIG. 23(a)

PRIOR ART




FIG. 23(b)

PRIOR ART




FIG. 23(c)

PRIOR ART





FIG. 23(d)

PRIOR ART



209050 / 52E400F

FIG. 24(a)




FIG. 24(b)




FIG. 24(c)





FIG. 24(d)




DESIGNED BY	O.G. FIG.
CLASS	SUBCL.
CRAFTSMAN	

25/29



FIG. 25



209050-452400F

26/29

FIG. 26(a)




FIG. 26(b)




FIG. 26(c)





FIG. 26(d)




10043257.050600

DESIGNED BY	O.G. FIG.
CLASS	SUBCL.
CRAFTSMAN	

27/29

FIG. 27



209050" 252E400T

FIG. 28(a)




FIG. 28(d)




FIG. 28(b)




FIG. 28(e)




FIG. 28(c)





FIG. 28(f)




10043257.050602

DESIGNED BY	C.G. FIG.	
	CLASS	SUBC
DRAFTSMAN		

29/29

FIG. 29



209050 152E4007